	Application No.	Applicant(s)	
Notice of Allowability			
	10/059,446 Examin r	PIEJAK, ROBERT Art Unit	B.
		Art offic	
	Holly R. Harper	2879	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHT of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communities. This application is su	this application. If not includ nication will be mailed in due	ed course, THIS
1. This communication is responsive to <u>9/26/2003</u> .			
2. The allowed claim(s) is/are 1,2 and 5.			
3. The drawings filed on <u>1/29/2002</u> are accepted by the Examiner.			
4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the:		(f).	
Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of			
7. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			OTICE OF
 8. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No 		(PTO-948) attached	
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.			
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d). 9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the			
attached Examiner's comment regarding REQUIREMENT FOR T			Note the
Attachment(s)			
1 ☐ Notice of References Cited (PTO-892)	5 ☐ Notice of Inform	mal Patent Application (PTO	-152)
 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No 		mary (PTO-413), Paper No	·
	1	7☐ Examiner's Amendment/Comment	
4☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8∏ Examiner's Sta 9∏ Other .	atement of Reasons for Allov	vance

Application/Control Number: 10/059,446

Art Unit: 2879

DETAILED ACTION

Allowable Subject Matter

1. Claims 1, 2, and 5 are allowed.

Regarding claim 1, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 1, and specifically comprising the limitation that an electrodeless fluorescent lamp has a Faraday shield with an electrically conductive layer that is between 400 and 1000 Angstroms.

Regarding claim 2, claim 2 is allowable for the reasons given in claim `because of its dependency status from claim 1.

Regarding claim 5, the references of the Prior Art of record fails to teach or suggest the combination of the limitations as set forth in claim 5, and specifically comprising the limitation an electrodeless fluorescent lamp has a Faraday shield with an electrically conductive layer that is between 400 and 1000 Angstroms.

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/059,446

Art Unit: 2879

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Holly Harper whose telephone number is (703) 305-7908. The examiner can normally be reached on Monday-Friday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimesh Patel, can be reached on (703) 305-4794. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-7382.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Holly Harper Patent Examiner Art Unit 2879

> NIMESHKUMAR D. PATEL. SUPERVISORY PATENT EXAMINER **TECHNOLOGY CENTER 2800**

Page 3